

# Networks / Requests

---

In many application, you'll need more than one container - for **two main reasons**:

1. It's considered a **good practice** to focus each container on **one main task** (e.g. run a web server, run a database, ...)
2. It's **very hard** to configure a Container that **does more than one "main thing"** (e.g. run a web server AND a database)

Multi-Container apps are quite common, especially if you're working on "real applications".

Often, some of these Containers need to **communicate** though:

- either **with each other**
- or with the **host machine**
- or with the **world wide web**

## Communicating with the World Wide Web (WWW)

---

Communicating with the WWW (i.e. sending Http request or other kinds of requests to other servers) is thankfully very easy.

Consider this JavaScript example - though it'll always work, no matter which technology you're using:

```
fetch('https://some-api.com/my-data').then(...)
```

This very basic code snippet tries to send a `GET` request to `some-api.com/my-data`.

This will **work out of the box**, no extra configuration is required! The application, running in a Container, will have no problems sending this request.

## Communicating with the Host Machine

---

Communicating with the Host Machine (e.g. because you have a database running on the Host Machine) is also quite simple, though it **doesn't work without any changes**.

**One important note:** *If you deploy a Container onto a server (i.e. another machine), it's very unlikely that you'll need to communicate with that machine. Communicating to the Host Machine typically is a requirement during development - for example because you're running some development database on your machine.*

Again, consider this JS example:

```
fetch('localhost:3000/demo').then(...)
```

This code snippet tries to send a `GET` request to some web server running on the local host machine (i.e. **outside** of the Container but **not** the WWW).

On your local machine, this would work - inside of a Container, it **will fail**. Because `localhost` inside of the Container refers to the Container environment, **not to your local host machine which is running the Container / Docker!**

But Docker has got you covered!

You just need to change this snippet like this:

```
fetch('host.docker.internal:3000/demo').then(...)
```

`host.docker.internal` is a special address / identifier which is translated to the IP address of the machine hosting the Container by Docker.

**Important:** "Translated" does **not** mean that Docker goes ahead and changes the source code. Instead, it simply detects the outgoing request and is able to resolve the IP address for that request.

## Communicating with Other Containers

Communicating with other Containers is also quite straightforward. You have two main options:

1. **Manually find out the IP** of the other Container (it may change though)
2. Use **Docker Networks** and put the communicating Containers into the same Network

Option 1 is not great since you need to search for the IP on your own and it might change over time.

Option 2 is perfect though. With Docker, you can create Networks via `docker network create SOME_NAME` and you can then attach multiple Containers to one and the same Network.

Like this:

```
docker run --network my-network --name cont1 my-image
docker run --network my-network --name cont2 my-other-image
```

Both `cont1` and `cont2` will be in the same Network.

Now, you can simply **use the Container names** to let them communicate with each other - again, Docker will resolve the IP for you (see above).

```
fetch('cont1/my-data').then(...)
```

